Pioneer



Pioneer

Pioneer is an intriguing range that takes inspiration from a multitude of different natural stones. Gathered together in a single range, users can explore totally unique colour options.











Hadid 3NGY102



Norma 3NGY109



Gehry 3NGY105



Olmsted 3NGY111



Ieoh 3NGY114

| | 300x600 9mm | 600×600 9mm | 600×600 20mm | 600x1200 9mm | 600x1200 20mm | 900x900 9mm | 1200×1200 6mm | 1200×1200 9mm | 1200x2400 6mm | 1200x2600 6mm | 1200x2780 6mm | 1600x3200 12mm |
|---------|----------------|----------------|-----------------|-----------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Moshe | ₩ △ | ₩ △ | \triangle | ₩ △ | \triangle | | • | | | | | • |
| Hadid | ₩ △ | ₩ △ | | ₩ △ | | 9 | | | | | | |
| Norma | ₩ △ | ₩ △ | \triangle | ₩ △ | \triangle | | | | | | | |
| Gehry | | ₩ △ | | ₩ △ | | 9 | • | • | | | | • |
| Olmsted | | ₩ △ | | ₩ △ | | 9 | • | • | • | • | | |
| Ieoh | ₩ △ | ₩ △ | | ₩ △ | | | | | | | | |

Natural R10 (A)

 \triangle Anti Slip R11 (A+B+C)

MOSAICS



Mosaic A

Available in all colours

300x300x9 (60x60 Chips)

Matt
Anti Slip R11 (A+B+C)



Mosaic B

Available in all colours

300x300x9 (100x100 Chips)

Matt
Anti Slip R11 (A+B+C)

Pioneer

APPEARANCE

Limestone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V4 - Heavy

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


BULLNOSE

90x600mm 90x900mm



ANGOLARE


330x1200mm



STEP TREAD 300x600mm 300x1200mm



TERMINALE 150x300x35mm



GRADONE

330x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

< 0.1%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

 $> 45 \text{ N/mm}^2$

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

< 150 mm³

14. STAIN RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

6x10⁻⁶ °C

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 Anti Slip R11 (A+B+C)

9. THERMAL SHOCK RESISTANCE

No rating

MANUFACTURER CERTIFICATIONS:



EPD: Available ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 012.

