Pioneer



Pioneer

Pioneer is an intriguing range that takes inspiration from a multitude of different natural stones. Gathered together in a single range, users can explore totally unique colour options.











Hadid 3NGY102



Norma 3NGY109



Gehry 3NGY105




Olmsted 3NGY111



Ieoh 3NGY114

SIZES AND FINISHES




ightharpoonup Natural R10 (A+B)* riangle Anti Slip R11 (A+B+C)

NOTES

To avoid lippage we recommend the use of self-levelling spacers.

* Natural R10 (A+B) finish is not suitable for use on the beach, swimming pool and/or changing rooms.

MOSAICS



Moshe Mosaic A

3NGY108M101

300x300x9mm (60x60 Chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Hadid Mosaic A

3NGY102M101

300x300x9mm (60x60 Chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Norma Mosaic A

3NGY109M101

300x300x9mm (60x60 Chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Gehry Mosaic A

3NGY105M101

300x300x9mm (60x60 Chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Olmsted Mosaic A

3NGY111M101

300x300x9mm (60x60 Chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Ieoh Mosaic A

3NGY114M101

300x300x9mm (60x60 Chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)

MOSAICS




Moshe Mosaic B

3NGY108M102

300x300x9mm (100x100 chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Hadid Mosaic B

3NGY102M102

300x300x9mm (100x100 chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Norma Mosaic B

3NGY109M102

300x300x9mm (100x100 chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Gehry Mosaic B

3NGY105M102

300x300x9mm (100x100 chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Olmsted Mosaic B

3NGY111M102

300x300x9mm (100x100 chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)



Ieoh Mosaic B

3NGY114M102

300x300x9mm (100x100 chips)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)

Pioneer

APPEARANCE

Limestone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V4 - Heavy

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BULLNOSE

90x600mm 90×900mm




TERMINALE 150x300x35mm



ANGOLARE

330x1200mm



GRADONE 330x1200mm



STEP TREAD

300x600mm

300x1200mm





ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

< 0.1%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

 $> 45 \text{ N/mm}^2$

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

< 150 mm³

14. STAIN RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

6x10⁻⁶ °C

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B) Anti Slip R11 (A+B+C)

9. THERMAL SHOCK RESISTANCE

No rating

MANUFACTURER CERTIFICATIONS:



EPD: Available ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 013.