

Porcelain Solid Basics

11 COLOURS | 10 FINISHES | 11 SIZES



S
LUS



Project:
Chalayan
Floor:
25CT1010

Porcelain Solid Basics

The Porcelain Solid Basics range of tiles is one of the most stunning and colourful collections. From bold blues to lively oranges, the collection boasts striking colours and a wide verity of sizes.



Porcelain Solid Basics



Project: GBK Waterloo
Floor:
2SCT1010



Pyris
2SCT1010




Salt
2SCT1018




Sambal
2SCT1019




Vanilla
2SCT1013




Poppe
2SCT1012



Punch
2SCT1015




Seed
2SCT1014



Baye
2SCT1023



Dill
2SCT1024



Sind
2SCT1021



Scap
2SCT1016

Porcelain Solid Basics

SIZES AND FINISHES

	200x200 8mm	200x200 12mm	200x200 14mm	300x300 8mm	300x300 11.2mm	300x300 14mm	300x600 8.3mm	300x600 9mm	600x600 9mm	600x600 9.3mm	600x1200 9mm
Pyris	●			●			● ■	●	● ■	■	● ■
Salt	● ◆ ▲ ⊙ \ \ ♥ ♥ \	● ◆ ⊙ \ \ ♥ ♥ \	● ▲ ⊙ \ \ \ ♥ ♥	● \ \ ♥ ♥	● \ \ ♥ ♥	● \ \ ♥ ♥					
Sambal	● ▲ ⊙ \ \ ♥ ♥ \	● □ ⊙ \ \ ♥ ♥ \	● □ ▲ \ \ ♥ ♥ \	● \ \ ♥ ♥	● \ \ ♥ ♥	● \ \ ♥ ♥					
Vanilla	●			●							
Poppe	●			●							
Punch	● ▲ ⊙ \ \ ♥ ♥ \	● \ \ ♥ ♥ \	● ♥ ♥	● ♥ ♥	● \ \ ♥	● ♥					
Seed	●			●							
Baye	●			●							
Dill	●			●							
Sind	●			●							
Scap	●			●							

● Natural R10 (A+B)* ■ Polished ◆ Anti Slip R13 (A+B+C) □ Anti Slip R12 (A+B+C) V4 ▲ Anti Slip R11 (A+B+C) V6 ⊙ Anti Slip R11 (A+B+C) V4
 \ Anti Slip Textured R11 (A+B) ♥ Anti Slip R11 (A+B) ♥ Anti Slip R10 \ Anti Slip R12 (A+B+C) V8


NOTES

* Natural R10 (A+B) finish not suitable for use for pool decks and/or changing rooms.

FINISHES



Natural R10 (A+B)



Polished



Anti Slip R13
(A+B+C)



Anti Slip R12
(A+B+C) V4



Anti Slip R11
(A+B+C) V6



Anti Slip R11
(A+B+C) V4




Anti Slip Textured R11
(A+B)



Anti Slip R11
(A+B)



Anti Slip R10



Anti Slip R12
(A+B+C) V8

Porcelain Solid Basics

APPEARANCE

Mono Colour

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V1 - Uniform

SPECIAL PIECES


More special pieces available.

For more information contact our sales team.

BATTISCOPIA


90x300

100x200mm




STEP TREADS

300x300mm




SIT-ON SKIRTING

100x200mm




COVE BASE

100x200mm



A1 COVE S1

40x200mm



A5 S5

25x200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

< 0.1%

4. FLEXURAL STRENGTH

45-60 N/mm²

6. DEEP ABRASION RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

6.3x10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130)

Natural R10 (A+B)
Anti Slip R13 (A+B+C)
Anti Slip R12 (A+B+C) V4
Anti Slip R11 (A+B+C) V6
Anti Slip R11 (A+B+C) V4
Anti Slip Textured R11 (A+B)
Anti Slip R11 (A+B)
Anti Slip R10
Anti Slip R12 (A+B+C) V8

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001
SASO-Approved

BES 819709

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 020.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

BIRMINGHAM
Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON
80 Clerkenwell Road
EC1M 5RJ

MANCHESTER
14 Kennedy Street
M2 4BY

solusceramics.com
+44 (0)121 753 0777
sales@solusceramics.com

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the word, there is a green circular icon containing a white plus sign (+).

S
O
L
U
S

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)