

# Quarry

5 COLOURS | 2 FINISHES | 4 SIZES



SOS  
LUS

Floor:  
3GDA104



# Quarry

The bold Quarry range comes in four deep colours, four versatile sizes and a high slip resistance. The series is inspired by traditional Mediterranean styles and colours and is practical, stylish and classic.




Floor:  
3GDA104







Grey  
3GDA106




Red  
3GDA101



Flame Red  
3GDA102



Flame Brown  
3GDA104



Black  
3GDA105



Floor:  
3GDA101

## SIZES AND FINISHES

	150x150 12mm	200x200 13mm	250x250 14mm	330x330 16mm
Grey	♥			
Red	♥ △	♥	♥	♥
Flame Red	♥			
Flame Brown	♥ △	♥		
Black	♥ △	♥		

♥ Natural R11 (A+B+C)    △ Anti Slip R13

## NOTES

A 6-8mm wide installation joint is recommended.

# Quarry

**APPEARANCE**  
Terracotta

**MATERIAL**  
Klinker

**USAGE**  
Floors and Walls

**SHADE VARIATION**  
V1 - Uniform  
V3 - Moderate

**SPECIAL PIECES**  
For more information contact our sales team.

**EDGE**  
150x150mm



**INTERNAL ANGLE**  
20x115mm



**STAIR TREAD CORNER**  
150x150mm



**EXTERNAL ANGLE**  
20x115mm



**SKIRTING BOARD**  
150x150mm  
150x195mm



## ISO 10545 RESULTS

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
 $3 < E \leq 6\%$

**4. FLEXURAL STRENGTH**  
50 N/mm<sup>2</sup>

**6. DEEP ABRASION RESISTANCE**  
290-393 mm<sup>3</sup>

**8. LINEAR THERMAL EXPANSION**  
 $5.2 \times 10^{-6} \text{ } ^\circ\text{C}$

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Class 5

**SLIP RESISTANCE**  
**(DIN 51130-51097)**  
Natural R11 (A+B+C)  
Anti Slip R13

## MANUFACTURER CERTIFICATIONS:

EPD: Available  
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 013a.