

12 COLOURS | 1 FINISH | 1 SIZE | 3 MOSAICS

# Riverine


S  
O  
S  
L  
U  
S



Wall:  
5DHC107  
Photography:  
Fonda by A-nrd Studio

# Riverine

Combining the charm of a traditional, hand-made tile with the performance of advanced ceramics technology, Riverine is available in vibrant and softer hues.



Wall:  
5DHC102



Wall:  
5DHC111



Kerris  
5DHC108



Boduel  
5DHC111



Polkerris  
5DHC112



Highlanes  
5DHC109



Recassa  
5DHC104



Polpeor  
5DHC105




Carclaze  
5DHC101




Veryan  
5DHC102




Trebeath  
5DHC103



Saveock  
5DHC106



Nanpean  
5DHC107



Cutmere  
5DHC110




DHC-Pattern 1  
6DHC113  
300x300x10mm  
Gloss



DHC-Pattern 2  
6DHC114  
300x300x10mm  
Gloss



DHC-Pattern 13  
6DHC115  
300x300x10mm  
Gloss



Wall:  
5DHC108  
6DHC114



Wall:  
5DHC103

■  
100x100  
10mm

All colours

◆ Gloss

# Riverine

---

## APPEARANCE

Mono Colour

## MATERIAL

Ceramic

## USAGE

Walls only

## SHADE VARIATION

V2 Light - V4 Heavy \*

## ISO 10545 RESULTS

---

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

---

### 3. WATER ABSORPTION

≤ 6.5%

---

### 4. FLEXURAL STRENGTH

20 N/mm<sup>2</sup>

---

### 6. DEEP ABRASION RESISTANCE

No rating

---

### 8. LINEAR THERMAL EXPANSION

≤ 9x10<sup>-6</sup> °C

---

### 9. THERMAL SHOCK RESISTANCE

Conforms

---

### 10. MOISTURE EXPANSION

No rating

---

### 12. FROST RESISTANCE

No rating

---

### 13. CHEMICAL RESISTANCE

Conforms

---

### 14. STAIN RESISTANCE

Conforms

---

## MANUFACTURER CERTIFICATIONS:

Declare.



EPD: Available  
ISO 14001  
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 002a.