

Rocking

8 COLOURS | 3 FINISHES | 17 SIZES | 2 MOSAICS



S
O
L
U
S

Floor:
3THA102

Rocking

Rocking is available in a palette inspired by granite, slate and rustic cliff sides. Each tile features lifelike veining, speckles and tonal imperfections that will help you to create organic and natural environments.



Floor:
3THA105

Rocking



ABOVE
Floor:
3THA106

RIGHT
Floor:
3THA101



ABOVE
Floor:
3THA109
Wall:
3THA109



Glacial
3THA112



Sandy
3THA111



Granite
3THA101



Multitude
3THA102



Cloudy
3THA110



SlateIce
3THA109



Chalkboard
3THA105




Destrier
3THA106




Floor:
3THA109
Wall:
3THA106
3THA109M502

MOSAICS





Mosaic A
Available in all colours
300x300x9.5mm (28x28 Chip)
Natural R10 (A+B)



Mosaic B
Available in all colours
300x600x9.5mm
300x600x6.5/9.5mm
Natural

SIZES AND FINISHES



♥ Natural R10 (A+B) ● Natural R11 (A+B+C) ▲ Anti Slip R11 (A+B+C)

Rocking

APPEARANCE
Slate

MATERIAL
Porcelain

USAGE
Floors and Walls

SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
Colour availability varies.
For more information contact our sales team.


STEP
330x600x50mm
330x900x50mm



RISER
165x600mm
165x900mm



CORNER TILE DX & SX
330x600x50mm
330x900x50mm



TREAD SKIRTING DX & SX
70x600x600mm



ENDING PIECE CORNER DX & SX
330x600x25mm
330x900x25mm



STAIR TREAD
330x600mm
330x900mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
Conforms

4. FLEXURAL STRENGTH
≥ 35 - 45 N/mm²

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
No rating

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Class 5

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R10 (A+B)
Natural R11 (A+B+C)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 012.