

# Rockmount

4 COLOURS | 3 FINISHES | 8 SIZES | 1 DECOR



S  
O  
L  
U  
S

Floor:  
2YSC102  
Wall:  
2YSC102

# Rockmount

Replicating the look of 'real life' architectural concrete, Rockmount stands out from the crowd by featuring cloudy shades marked with light micro cracks and evidence of pitting.



Floor:  
2YSC101  
Wall:  
2YSC104D205

# Rockmount



ABOVE  
Floor:  
2YSC104

RIGHT  
Floor:  
2YSC102  
Wall:  
2YSC102



ABOVE  
Floor:  
2YSC104



Cragmill  
2YSC101



Millon  
2YSC102



Carnsew  
2YSC104




Bearah  
2YSC103

## SIZES AND FINISHES

	300x600 9mm	600x600 9mm	600x1200 9mm	750x750 9mm	750x1500 9mm	900x900 20mm	1200x1200 9mm	1200x2780 6mm
Cragmill	● \	● \	● \	● \	● \		● \	
Millon	● \	● \	● \	● \	● \	△	● \	●
Carnsew	● \	● \	● \	● \	● \		● \	●
Bearah	● \	● \	● \	● \	● \		● \	

● Matt R10    \ Satin    △ Anti Slip R11

## DECORS



Harlestone  
 2YSC104D205  
 750x1500x9mm  
 Satin

**APPEARANCE**  
Concrete

**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls

**SHADE VARIATION**  
V3 - Moderate

**SPECIAL PIECES.**  
For more information contact our sales team.

**BATTISCOPA**  
70x600mm  
70x750mm



## ISO 10545 RESULTS

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
0.2%

**4. FLEXURAL STRENGTH**  
Conforms

**6. DEEP ABRASION RESISTANCE**  
Conforms

**8. LINEAR THERMAL EXPANSION**  
7 MK<sup>-1</sup>

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Class 5

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Matt R10  
Anti Slip R11

## MANUFACTURER CERTIFICATIONS:

EPD: Available

**Declare.** ISO 14001

ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 011.