Score



Score 8

Score is a contoured or bevelled wall tile available in a pleasing range of pastel colours. The concave and convex structures create dynamic lines of light and shade for a striking design.



Score



ABOVE Wall: 5SCR102

RIGHT Wall: 5SCR106





ABOVE Wall: 5SCR108

MATT CONTOUR MATT BEVELLED SCR-White SCR-Cream SCR-White SCR-Cream 5SCR101 5SCR103 5SCR101 5SCR103 SCR-Grey 5SCR109 SCR-Beige 5SCR104 SCR-Beige 5SCR104 SCR-Grey 5SCR109 SCR-Cloud SCR-Blush SCR-Cloud SCR-Blush 5SCR106 5SCR102 5SCR106 5SCR102 SCR-Berry SCR-Black SCR-Berry SCR-Black 5SCR110 5SCR105 5SCR105 5SCR110 SCR-Blue SCR-Blue SCR-Green SCR-Green 5SCR108 5SCR107 5SCR108 5SCR107

5SCR108

5SCR107

GLOSS CONTOUR GLOSS BEVELLED SCR-White SCR-Cream SCR-White SCR-Cream 5SCR101 5SCR103 5SCR101 5SCR103 SCR-Grey 5SCR109 SCR-Beige 5SCR104 SCR-Grey 5SCR109 SCR-Beige 5SCR104 SCR-Cloud SCR-Blush SCR-Cloud SCR-Blush 5SCR106 5SCR102 5SCR106 5SCR102 SCR-Berry SCR-Black SCR-Berry SCR-Black 5SCR110 5SCR105 5SCR105 5SCR110 SCR-Blue SCR-Blue SCR-Green SCR-Green

5SCR108

5SCR107



SIZES AND FINISHES





APPEARANCE

Mono Colour

MATERIAL

Ceramic

USAGE

Walls only

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

CORBEL

20x200mm

JOLLY 12x200mm

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

≤ 10%

12. FROST RESISTANCE

No rating

4. FLEXURAL STRENGTH

No rating

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

No rating

14. STAIN RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

No rating

Conforms

9. THERMAL SHOCK RESISTANCE

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 001b.

EC1M 5RJ