

Serene Stone

5 COLOURS | 3 FINISHES | 6 SIZES



SO
LUS

Wall:
3SER101

Serene Stone

A stunning stoneware collection inspired by the geology of different biomes, Serene Stone introduces the beauty of the outside world to your dwelling.




Wall:
3SER104

Serene Stone



ABOVE
Wall:
3SER101

RIGHT
Wall:
3SER103



ABOVE
Wall:
3SER105



SER-Pale
3SER102




SER-Light
3SER101



SER-Warm
3SER103



SER-Smoke
3SER104



SER-Dark
3SER105



Wall:
3SER104

SIZES AND FINISHES

	600x1200 6mm	600x1200 9mm	1200x1200 6mm	1200x2400 6mm	1200x2800 6mm	1600x3200 6mm
SER-Pale	◆ ♥	◆ ♥	◆ ♥	◆ ♥	◆ ♥	● ◆
SER-Light	◆ ♥	◆ ♥	◆ ♥	◆ ♥	◆ ♥	
SER-Warm	◆ ♥	◆ ♥	◆ ♥	◆ ♥	◆ ♥	
SER-Smoke	◆ ♥	◆ ♥	◆ ♥	◆ ♥	◆ ♥	● ◆
SER-Dark	◆ ♥	◆ ♥	◆ ♥	◆ ♥	◆ ♥	● ◆

● Matt ◆ Gloss ♥ Natural R10 (A+B)

Serene Stone

APPEARANCE

Stone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V4 - Heavy

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BATTISCOPIA

46x600mm



GRADINO

330x1200x30mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

<0.08%

4. FLEXURAL STRENGTH

50-52 N/mm²

6. DEEP ABRASION RESISTANCE

140 mm³

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 003.