

# Serene Stone

5 COLOURS | 4 FINISHES | 7 SIZES



LOS  
LUS



Wall:  
3SER101

# Serene Stone

A stunning stoneware collection inspired by the geology of different biomes, Serene Stone introduces the beauty of the outside world to your dwelling. This range is certified Carbon Zero.

S  
O  
LUS 

Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)




Wall:  
3SER104

# Serene Stone



ABOVE  
Wall:  
3SER101

RIGHT  
Wall:  
3SER103



ABOVE  
Wall:  
3SER105



SER-Pale  
3SER102




SER-Light  
3SER101



SER-Warm  
3SER103



SER-Smoke  
3SER104



SER-Dark  
3SER105



Wall:  
3SER104

## SIZES AND FINISHES

	600x1200 6mm	600x1200 9mm	1200x1200 6mm	1200x1200 9mm	1200x2400 6mm	1200x2800 6mm	1600x3200 6mm
SER-Pale	◆	◆ ♥ □	◆	□	◆	◆ □	● ◆
SER-Light	◆	◆ ♥ □	◆	□	◆	◆ □	
SER-Warm	◆	◆ ♥ □	◆	□	◆	◆ □	
SER-Smoke	◆	◆ ♥ □	◆	□	◆	◆ □	● ◆
SER-Dark	◆	◆ ♥ □	◆	□	◆	◆ □	● ◆

● Matt    ◆ Gloss    ♥ Natural R10 (A+B)    □ Satin

# Serene Stone

**APPEARANCE**  
Stone


**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls


**SHADE VARIATION**  
V4 - Heavy

**SPECIAL PIECES**  
Available in all colours.  
For more information contact our sales team.

**BATTISCOPIA**  
46x600mm



**GRADINO**  
330x1200x30mm



## ISO 10545 RESULTS

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
<0.08%

**4. FLEXURAL STRENGTH**  
50-52 N/mm<sup>2</sup>

**6. DEEP ABRASION RESISTANCE**  
140 mm<sup>3</sup>

**8. LINEAR THERMAL EXPANSION**  
No rating

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Conforms

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Natural R10 (A+B)

## CERTIFICATIONS:



EPD: Available  
ISO 14001  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 006.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

**BIRMINGHAM**  
Unit 1 Cole River Park  
Warwick Road B11 2QX

**LONDON**  
80 Clerkenwell Road  
EC1M 5RJ

**MANCHESTER**  
14 Kennedy Street  
M2 4BY

[solusceramics.com](http://solusceramics.com)  
+44 (0)121 753 0777  
[sales@solusceramics.com](mailto:sales@solusceramics.com)

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the word "SOLUS" is a green circular icon containing a white plus sign (+).

SOLUS

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)