

Serene Wood

6 COLOURS | 2 FINISHES | 7 SIZES | 7 DECORS



S
O
L
U
S

Floor:
3SER109

Serene Wood

A wood-effect range that marries the durability and technical advantages of porcelain with the natural aesthetic of milled timber.



Floor:
3SER108

Serene Wood



ABOVE
Floor:
3SER110

RIGHT
Floor:
3SER111



ABOVE
Floor:
3SER108



SER-Natural
3SER106



SER-Tobacco
3SER107



SER-Tan
3SER108



SER-Mocha
3SER109



SER-Brown
3SER110



SER-Black
3SER111



Decor A

3SER106D001
3SER107D002
3SER108D003
3SER109D004
3SER110D005
3SER111D006

100x530x6mm

Natural R10(A+B)



Decor B

3SER112D007

325x456mmx6

Natural R10(A+B)



Decor C

3SER112D008

325x456x6mm

Natural R10(A+B)



Decor D

3SER112D009

600x600x6mm

Natural R10(A+B)



Decor E

3SER112D010

600x600x6mm

Natural R10(A+B)



Decor F

3SER112D011

400x400x6mm

Natural R10(A+B)



Decor G

3SER112D012


400x400x6mm

Natural R10(A+B)



Floor:
3SER106

SIZES AND FINISHES



Serene Wood

APPEARANCE

Wood

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BATTISCOPIA

46x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

<0.08%

4. FLEXURAL STRENGTH

50-52 N/mm²

6. DEEP ABRASION RESISTANCE

140 mm³

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 002.