

Shimmer

41 COLOURS | 2 FINISHES | 1 SIZE



LOS
LUS

COLOURS - SATIN SOFT GRAIN FINISH


All tiles are 20x20x4mm




Cainey
6ZGM240




Silver
6ZGM288




Aluminium
6ZGM234




Cotton
6ZGM262




Ensis
6ZGM289




Sellus
6ZGM201




Magus
6ZGM290




Griff
6ZGM209




Torina
6ZGM225




Sleeping
6ZGM331




Beebo
6ZGM330



Song
6ZGM243




Gere
6ZGM219




Dium
6ZGM222




Zircon
6ZGM286




Vana
6ZGM252




Gaper
6ZGM295



Zaddon
6ZGM332




Grain
6ZGM259




Lorne
6ZGM229




Calci
6ZGM293




Gwar
6ZGM246




Volcano
6ZGM247



Coppe
6ZGM263



Sund
6ZGM292




Esmont
6ZGM131

COLOURS - SATIN GOLDEN VEIN FINISH

All tiles are 20x20x4mm




Pasteur
6ZGM187




Pernety
6ZGM182




Kinder
6ZGM135




Japale
6ZGM348




Radon
6ZGM128




Picquet
6ZGM185




Leonce
6ZGM350




Rinder
6ZGM337




Antwine
6ZGM129




Fabrice
6ZGM349




Ceri
6ZGM180



Stara
6ZGM181



Passie
6ZGM188



Peletier
6ZGM189



Tanta
6ZGM106

APPEARANCE

Mosaic

MATERIAL

Glass

USAGE

Floors and Walls

ISO 10545 RESULTS**2. DIMENSIONS AND SURFACE QUALITY**

Conforms

3. WATER ABSORPTION

< 3%

4. FLEXURAL STRENGTH> 27 N/mm²**6. DEEP ABRASION RESISTANCE**

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

No rating

**SLIP RESISTANCE
(DIN 51130-51097)**

Ask for details

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 012.