

10 COLOURS | 3 FINISHES | 3 SIZES

# Silhouette

SO  
LUS



Wall:  
5ALP107  
Desk:  
5ALP121



# Silhouette

A stunning range of elegant geometric wall tiles, Silhouette features a variety of three-dimensional shapes allowing users to create dramatic feature installations. Explore 10 majestic colours including a lavish gold.



Wall:  
SALP112



# Silhouette



ABOVE  
Wall:  
5ALP113  
5ALP107


RIGHT  
Wall:  
5ALP107  
5ALP108








Wall:  
5ALP111




Sophia  
5ALP107



Lizzy  
5ALP110




Ella  
5ALP111




Samantha  
5ALP112



Laurie  
5ALP106




Chloe  
5ALP109



Beatrice  
5ALP121



Aubrey  
5ALP113



Peyton  
5ALP101



Abigail  
5ALP108



Wall:  
5ALP106

## SIZES AND FINISHES

	● 107x124 11mm (Oberland)	● 107x124 11mm (Umbrella)*	▲ 108x124 11mm (Tirol)
■ Sophia	● ◆	● ◆	● ◆
■ Lizzy	◆	◆	◆
■ Ella	◆	◆	◆
■ Samantha	◆	◆	◆
■ Laurie	◆	◆	◆
■ Chloe	◆	◆	◆
■ Beatrice*	■	■	■
■ Aubrey*	◆	◆	◆
■ Peyton	◆	◆	◆
■ Abigail	● ◆	● ◆	● ◆

◆ Gloss ● Matt ■ Gloss Metallic




Oberland



Umbrella\*



Tirol



\* Umbrella is made up of varying designs which are randomly packed.

## NOTES

These tiles have an 11mm thickness, however including the 3D design, have a 20mm height.

\*Beatrice and Aubrey colours are made with special glazes that tend to have a natural crackle effect and low resistance to acids, alkalis and aggressive cleaning products. Do not use aggressive cleaning products like bleach or ammonia.

# Silhouette

---

## APPEARANCE

Mono Colour

## MATERIAL

Ceramic

## USAGE

Walls only

## SHADE VARIATION

V1 - Uniform

## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

> 10%

### 4. FLEXURAL STRENGTH

15 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

No rating

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

No rating

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 5

## MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 006.