

3 COLOURS | 1 FINISH | 3 SIZES

Slate 1

S
O
S
L
U
S



Floor:
3PPM008

Slate 1

Slate 1 comprises beautifully crafted porcelain tiles replicating the very essence of natural slate. Available in five natural colours, these neat and stylish tiles are suitable for a diverse range of projects.



Floor:
3PPM022



Cleft
3PPM017
















Platino
3PPM022




Jurita
3PPM008



SIZES AND FINISHES

	 300x300 9mm	 300x600 9mm	 600x600 9mm
 Cleft			
 Platino			
 Jurita			

 Natural R10

Slate 1

APPEARANCE

Slate

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES


Available in all colours.

For more information contact our sales team.

BULLNOSE PLINTH

90x300mm


90x600mm



STEP TREAD

300x300mm

300x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$\leq 0.1\%$

4. FLEXURAL STRENGTH

50-60 N/mm²

6. DEEP ABRASION RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

$6.6 \times 10^{-6} / K$

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms except
Hydrofluoric Acid

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R10

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 008a.



>24%

Pre-consumer

BIRMINGHAM

Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON

80 Clerkenwell Road
EC1M 5RJ

MANCHESTER

14 Kennedy Street
M2 4BY

solusceramics.com

+44 (0)121 753 0777

sales@solusceramics.com