

Sovereign

6 COLOURS | 3 FINISHES | 5 SIZES | 1 MOSAIC



S
O
L
U
S

Floor:
3XGP105

Sovereign

The delicate nuances of marble-effect Sovereign create a captivating arrangement on floors and walls. Available in a host of colours, finishes and styles including mosaics, the range is truly versatile.



Floor:
3XGP104
Wall:
3XGP104


Sovereign




ABOVE
Floor:
3XGP102



RIGHT
Floor:
3XGP102
Wall:
3XGP102



Queenship
3XGP105



Baron
3XGP106




Kingship
3XGP104



Monarchy
3XGP101



Aristocracy
3XGP102



Nobility
3XGP103



Floor:
3XGP106


SIZES AND FINISHES

	300x600 9.5mm	600x600 9.5mm	600x1200 9.5mm	1200x1200 9mm	1200x2800 6mm
Queenship	♥ ■	♥ ■ △	♥ ■ △	♥ ■	♥ ■
Baron	♥ ■	♥ ■ △	♥ ■ △	♥ ■	♥ ■
Kingship	♥ ■	♥ ■ △	♥ ■ △	♥ ■	♥ ■
Monarchy	♥ ■	♥ ■ △	♥ ■ △	♥ ■	♥ ■
Aristocracy	♥ ■	♥ ■ △	♥ ■ △	♥ ■	♥ ■
Nobility	♥ ■	♥ ■ △	♥ ■ △	♥ ■	♥ ■


♥ Matt R10 (A) ■ Polished △ Anti Slip R11 (A+B+C)




MOSAICS



Monarchy Mosaic A
3XGP101M201
300x300x9.5mm
Matt R10 (A)
Polished




Aristocracy Mosaic A
3XGP102M201
300x300x9.5mm
Matt R10 (A)
Polished




Nobility Mosaic A
3XGP103M101
300x300x9.5mm
Matt R10 (A)
Polished



Kingship Mosaic A
3XGP104M101
300x300x9.5mm
Matt R10 (A)
Polished



Queenship Mosaic A
3XGP105M101
300x300x9.5mm
Matt R10 (A)
Polished



Baron Mosaic A
3XGP106M101
300x300x9.5mm
Matt R10 (A)
Polished

Floor:
3XGP102
Wall:
3XGP102
3XGP102M201

APPEARANCE

Marble

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V4 - Heavy


SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

GRADINO C. RETTA

330x1200mm




GRADINO C. RETTA DX AND SN

330x1200mm



BATTISCALA DX AND SX

48x600mm



BATTISCOPEA

48x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$\leq 0.5\%$

4. FLEXURAL STRENGTH

35 N/mm²

6. DEEP ABRASION RESISTANCE

175 mm³

8. LINEAR THERMAL EXPANSION

$6.7 \times 10^{-6} \text{ } ^\circ\text{C}$

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Matt R10 (A)

Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 006.