


Stonforma

4 COLOURS | 2 FINISHES | 6 SIZES



S
O
L
U
S

Floor:
2SNF104

Stonforma

Stone aesthetics with
porcelain strength and
subtle surface depth.
Available in natural and
anti-slip finishes for
seamless transitions.



Floor:
2SNF104





SNF-White
2SNF102



SNF-Beige
2SNF101



SNF-Grey
2SNF103



SNF-Dark
2SNF104


APPEARANCE
Stone

MATERIAL
Porcelain

USAGE
Floors and Walls

SHADE VARIATION
V3 - Moderate

SIZES AND FINISHES



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
≤ 0.1%

4. FLEXURAL STRENGTH
40 N/mm²

6. DEEP ABRASION RESISTANCE
< 150 mm³

8. LINEAR THERMAL EXPANSION
6 x 10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Class 5

SLIP RESISTANCE
(DIN 51130-51097)
Natural R10
Anti Slip R11

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 001.