


# Stonforma

4 COLOURS | 2 FINISHES | 6 SIZES



S  
+  
O  
LUS

Floor:  
2SNF104

# Stonforma

Stone aesthetics with porcelain strength and subtle surface depth. Available in natural and anti-slip finishes for seamless transitions.



S  
O  
LUS



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)

Floor:  
2SNF104



Floor:  
2SNF101



Floor:  
2SNF101



SNF-White  
2SNF102



SNF-Beige  
2SNF101



SNF-Grey  
2SNF103



SNF-Dark  
2SNF104

# Stonforma

## APPEARANCE

Stone

## MATERIAL

Porcelain


## USAGE

Floors and Walls

## SHADE VARIATION

V3 - Moderate

## SIZES AND FINISHES



## MINIMUM ORDER QUANTITIES

Size	Box / Pal	M2 / Pal	KG / Pal
300x600x8mm	48	60.48	1088.64
450x450x8mm	26	42.12	778.93
600x600x8mm	30	54	947.97
600x600x20mm	32	23.04	1059.84
600x1200x8mm	42	60.48	1088.64
600x1200x20mm	36	25.92	1192.32

**8mm thick tiles** - Only orders of one full pallet and over are allowed (eg, 1.5 pallets is ok)

**20mm thick tiles** - Full pallet purchases only (you may not split any pallets)

## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

≤ 0.1%

### 4. FLEXURAL STRENGTH

40 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

< 150 mm<sup>3</sup>

### 8. LINEAR THERMAL EXPANSION

6 x 10<sup>-6</sup> °C

### 9. THERMAL SHOCK RESISTANCE

No rating

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 5

### SLIP RESISTANCE (DIN 51130-51097)

Natural R10  
Anti Slip R11

## CERTIFICATIONS:



EPD: Available  
ISO 14001  
SASO-Approved

BES 819709

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 002.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

**BIRMINGHAM**  
Unit 1 Cole River Park  
Warwick Road B11 2QX

**LONDON**  
80 Clerkenwell Road  
EC1M 5RJ

**MANCHESTER**  
14 Kennedy Street  
M2 4BY

solusceramics.com  
+44 (0)121 753 0777  
sales@solusceramics.com

# S O LUS



## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)