

# Struktur

7 COLOURS | 3 FINISHES | 9 SIZES | 2 MOSAICS | 2 DECORS



SOS  
LUS



Floor:  
2SKR104  
Wall:  
2SKR104D001

# Struktur

Struktur is a practical porcelain ceramic floor and wall tile available in multiple formats. Inspired by concrete agglomerates, Struktur has a minimalist aesthetic and restrained colours.



SOLUS

Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.


For more information, [click here](#)

Counter:  
2SKR107D001  
Floor:  
2SKR107



ABOVE  
Wall:  
2SKR103

RIGHT  
Floor:  
2SKR105



ABOVE  
Wall:  
2SKR104D001




SKR-White  
2SKR101



SKR-Grey  
2SKR102



SKR-Greige  
2SKR104



SKR-Blue  
2SKR107



SKR-Green  
2SKR106



SKR-Red  
2SKR105












SKR-Black  
2SKR103



Floor:  
2SKR103

## SIZES AND FINISHES

	 250x220 9mm (Hexagon)	 200x200 9mm	 300x300 9mm	 300x600 9mm	 600x600 9mm	 600x600 20mm	 600x1200 9mm	 600x1200 20mm	 1200x1200 9mm
SKR-White	♥	♥	♥	♥ △	♥ △		♥ \ △		♥ \
SKR-Grey	♥	♥	♥	♥ △	♥ △	△	♥ \ △	△	♥ \
SKR-Greige	♥	♥	♥	♥ △	♥ △		♥ \ △		♥ \
SKR-Blue	♥	♥	♥	♥ △	♥ △		♥ \ △		♥ \
SKR-Green	♥	♥	♥	♥ △	♥ △		♥ \ △		♥ \
SKR-Red	♥	♥	♥	♥ △	♥ △		♥ \ △		♥ \
SKR-Black	♥	♥	♥	♥ △	♥ △	△	♥ \ △	△	♥ \

♥ Natural R10 (A+B)    \ Satin    △ Anti Slip R11

## NOTES

To avoid lippage we recommend the use of self-levelling spacers.



## MOSAICS



SKR-White Mosaic A  
2SKR101M001  
300x300x9mm (50x50 chips)  
Natural




SKR-Grey Mosaic A  
2SKR102M001  
300x300x9mm (50x50 chips)  
Natural




SKR-Greige Mosaic A  
2SKR104M001  
300x300x9mm (50x50 chips)  
Natural




SKR-Blue Mosaic A  
2SKR107M001  
300x300x9mm (50x50 chips)  
Natural



SKR-Green Mosaic A  
2SKR106M001  
300x300x9mm (50x50 chips)  
Natural



SKR-Red Mosaic A  
2SKR105M001  
300x300x9mm (50x50 chips)  
Natural



SKR-Black Mosaic A  
2SKR103M001  
300x300x9mm (50x50 chips)  
Natural


Floor:  
2SKR105

Counter:  
2SKR105M001

## MOSAICS




SKR-White Mosaic B  
2SKR101M002  
300x300x9mm (50x150 chips)  
Natural



SKR-Grey Mosaic B  
2SKR102M002  
300x300x9mm (50x150 chips)  
Natural



SKR-Greige Mosaic B  
2SKR104M002  
300x300x9mm (50x150 chips)  
Natural



SKR-Blue Mosaic B  
2SKR107M002  
300x300x9mm (50x150 chips)  
Natural



SKR-Green Mosaic B  
2SKR106M002  
300x300x9mm (50x150 chips)  
Natural



SKR-Red Mosaic B  
2SKR105M002  
300x300x9mm (50x150 chips)  
Natural



SKR-Black Mosaic B  
2SKR103M002  
300x300x9mm (50x150 chips)  
Natural




## DECORS




SKR-White Décor A  
2SKR101D001  
600x1200x12mm  
Natural



SKR-Grey Décor A  
2SKR102D001  
600x1200x12mm  
Natural




SKR-Greige Décor A  
2SKR104D001  
600x1200x12mm  
Natural



SKR-Blue Décor A  
2SKR107D001  
600x1200x12mm  
Natural



SKR-Green Décor A  
2SKR106D001  
600x1200x12mm  
Natural



SKR-Red Décor A  
2SKR105D001  
600x1200x12mm  
Natural



SKR-Black Décor A  
2SKR103D001  
600x1200x12mm  
Natural

## DECORS




SKR-White Décor B\*  
2SKR101D002  
200x200x9mm  
Natural




SKR-Grey Décor B\*  
2SKR102D002  
200x200x9mm  
Natural



SKR-Greige Décor B\*  
2SKR104D002  
200x200x9mm  
Natural




SKR-Blue Décor B\*  
2SKR107D002  
200x200x9mm  
Natural



SKR-Green Décor B\*  
2SKR106D002  
200x200x9mm  
Natural







SKR-Red Décor B\*  
2SKR105D002  
200x200x9mm  
Natural



SKR-Black Décor B\*  
2SKR103D002  
200x200x9mm  
Natural

## NOTES

\* The 3D effect on the two-dimensional surface is achieved through a graphic play of light and shadows. The areas that appear raised or recessed depend on the direction of placement and the ambient light. For this reason, it is recommended to perform a test before installation.



Wall:  
2SKR101D002

# Struktur

## APPEARANCE

Concrete

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION


V2 - Light

## SPECIAL PIECES

For more information contact our sales team.

### BATTISCOPIA


70x600mm



### GRADINO


300x600mm

300x1200mm




### GRADINO ASSEMBLATO

1200x330mm



### GRADONE ASSEMBLATO

1200x330mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.1\%$

### 4. FLEXURAL STRENGTH

45 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

$\leq 150 \text{ mm}^3$

### 8. LINEAR THERMAL EXPANSION

$6 \times 10^{-6} \text{ }^\circ\text{C}$

### 9. THERMAL SHOCK RESISTANCE

No rating

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

No rating

### 13. CHEMICAL RESISTANCE

Resistance to acids and alkalis (with the exception of hydrofluoric acid)

### 14. STAIN RESISTANCE

Class 4-5

### SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)  
Anti Slip R11

## CERTIFICATIONS:



EPD: Available

ISO 14001

SASO-Approved

BES 819709

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 002.

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the middle "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large piles of sand and gravel in an industrial setting, with a vertical metal beam in the center.

SOLUS

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)