

Tectra

5 COLOURS | 5 FINISHES | 7 SIZES



S
LUS



Floor:
2TCT102

Tectra

A robust limestone-effect surface with five finishes, from natural to flamed. Crafted for both interiors and demanding outdoor applications.

S
O
LUS

Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)



Floor:
2TCT104
Wall:
2TCT104



ABOVE
Floor:
2TCT102
Wall:
2TCT102

RIGHT
Wall:
2TCT103



ABOVE
Wall:
2TCT104




TCT-Cream
2TCT101




TCT-Beige
2TCT101



TCT-Grey
2TCT103



TCT-Green
2TCT105




TCT-Black
2TCT104




Floor:
2TCT101
Wall:
2TCT103


SIZES AND FINISHES



♥ Natural R10 (A+B) ● Natural R9 (A) △ Anti Slip R11 (A+B+C)
 ■ Textured R10 (A+B) □ Textured Flamed R10 (A+B)



Textured R10 (A+B)
Finish



Textured Flamed R10 (A+B)
Finish

APPEARANCE
Limestone


MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
For more information contact our sales team.

BATTISCOPIA
65x600mm



GRADINO L JOLLY *
300x1200mm



NOTES

* Produced in 2 assembled pieces.

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
≤ 0.1%

4. FLEXURAL STRENGTH
49 N/mm²

6. DEEP ABRASION RESISTANCE
140 mm³

8. LINEAR THERMAL EXPANSION
6.5 × 10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Class 5

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R9 (A)
Natural R10 (A+B)
Textured R10 (A+B)
Textured Flamed R10 (A+B)
Anti Slip R11 (A+B+C)

CERTIFICATIONS:



EPD: Available
ISO 14001
SASO-Approved

BES 819709

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 001.

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the middle "O" is a green circular icon containing a white plus sign (+).

S
O
LUS

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)