

Terrace

10 COLOURS | 2 FINISHES | 4 SIZES | 2 MOSAICS



S
O
L
U
S

Floor:
2TER108
Wall:
2TER101

Terrace

Concrete and full-bodied Venetian Seminato in a range of matchable colours allows for expressive design. Protect® surfaces are versatile, hygienic and safe.



Floor:
2TER101
Wall:
2TER106

Terrace



ABOVE
Floor:
2TER103
Wall:
2TER103




RIGHT
Floor:
2TER102



ABOVE
Floor:
2TER102
Wall:
2TER107



TER-White
2TER103



TER-Sand
2TER104



TER-Grey
2TER102




TER-Brown
2TER105



TER-Black
2TER101



TER-Cloud
2TER106



TER-Ash
2TER107




TER-Beige
2TER110



TER-Green
2TER108




TER-Mocha
2TER109




TER-White Mosaic
2TER103M103
300x300x9mm
Natural R10 (A+B)




TER-Sand Mosaic
2TER104M104
300x300x9mm
Natural R10 (A+B)




TER-Grey Mosaic
2TER102M102
300x300x9mm
Natural R10 (A+B)




TER-Brown Mosaic
2TER105M105
300x300x9mm
Natural R10 (A+B)




TER-Black Mosaic
2TER101M101
300x300x9mm
Natural R10 (A+B)




TER-Cloud Mosaic
2TER106M106
300x300x9mm
Natural R10 (A+B)



TER-Ash Mosaic
2TER107M107
300x300x9mm
Natural R10 (A+B)



TER-Beige Mosaic
2TER110M110
300x300x9mm
Natural R10 (A+B)



TER-Green Mosaic
2TER108M108
300x300x9mm
Natural R10 (A+B)



TER-Mocha Mosaic
2TER109M109
300x300x9mm
Natural R10 (A+B)



Floor:
2TER104

SIZES AND FINISHES

				
	600x600 9mm	600x1200 9mm	600x1200 20mm	1200x1200 9mm
 TER-White	♥	♥	△	♥
 TER-Sand	♥	♥	△	♥
 TER-Grey	♥	♥	△	♥
 TER-Brown	♥	♥		♥
 TER-Black	♥	♥	△	♥
 TER-Cloud	♥	♥		♥
 TER-Ash	♥	♥		♥
 TER-Beige	♥	♥		♥
 TER-Green	♥	♥		♥
 TER-Mocha	♥	♥		♥

♥ Natural R10 (A+B) △ Anti Slip R11 (A+B+C)

Terrace

APPEARANCE
Concrete

MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V2 - Light

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.


BATTISCOPIA
55x600mm



GRADINO PLUS
350x1200mm



ANGOLO DX / SX
350x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
< 0.5%

4. FLEXURAL STRENGTH
> 50 N/mm²

6. DEEP ABRASION RESISTANCE
145 mm³

8. LINEAR THERMAL EXPANSION
≤ 7x10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Class 5

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R10 (A+B)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



Declare.

EPD: Available
ISO 14001
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 005.

> 40%
Pre-consumer