

Terranova

5 COLOURS | 2 FINISHES | 4 SIZES



S
O
L
U
S

Floor:
3PFG101
3PFG103
3PFG102

Terranova

An eye-catching interpretation of a naturally formed mosaic, Terranova's terrazzo appearance offers an aesthetic that is at once sophisticated and seamless.




Floor:
3PFG101
3PFG104






Alburni
3PFG104



Passerini
3PFG105




Sibari
3PFG103







Minulio
3PFG102



Pollino
3PFG101



Floor:
3PFG103
3PFG102

				
	300x600 9mm	375x755 9mm	600x600 9mm	755x755 9mm
All colours	♥	♥	♥■	♥

♥ Natural R10 ■ Polished

APPEARANCE

Terrazzo

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES


Available in all colours.

For more information contact our sales team.

BULLNOSE

70x600mm


70x755mm



STEP TREAD

300x600mm


375x755mm



GRADONE

600x330mm

755x330mm



ANGOLARE

600x330mm

755x330mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

< 0.1%

4. FLEXURAL STRENGTH

> 45 N/mm²

6. DEEP ABRASION RESISTANCE

≤ 150 mm³

8. LINEAR THERMAL EXPANSION

6×10^{-6} °C

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R10

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 003.