

# Terraware

7 COLOURS | 1 FINISH | 5 SIZES | 3 MOSAICS | 2 DECORS



S  
LUS

Floor:  
3TTS108D101  
Wall:  
3TTS103

# Terraware


Authentic and earthy, Terraware features the enveloping colours of the desert and exudes the charm of the Mediterranean. Seven engaging shades, material nuances and versatile large sizes, bring character to contemporary projects.



Floor:  
3TTS106  
Wall:  
3TTS105  
3TTS109D102




Floor:  
3TTS101  
Wall:  
3TTS102  
3TTS108D101



Baked  
3TTS101




Ochre  
3TTS102



Kiln  
3TTS103




Fired  
3TTS104



Clay  
3TTS105



Batch  
3TTS106



Mold  
3TTS107



Floor:  
3TTS105  
Wall:  
3TTS109D102



Firing Decor

3TTS108D101

300x1200x9,  
600x1200x9mm

Natural R10




Cooling Decor

3TTS109D102

300x1200x9,  
600x1200x9mm

Natural R10




Mosaic

300x300x9mm

Natural

Available in all colours



Firing Mosaic

3TTS108M108

300x600x9mm

Natural



Cooling Mosaic













3TTS109M109

300x600x9mm

Natural



Floor:  
3TTS107  
Wall:  
3TTS102

	 300x600 9mm	 300x1200 9mm	 600x600 9mm	 600x1200 9.5mm	 1200x1200 9mm
 Baked	♥	♥	♥	♥	
 Ochre	♥	♥	♥	♥	
 Kiln	♥	♥	♥	♥	♥
 Fired	♥	♥	♥	♥	♥
 Clay	♥	♥	♥	♥	♥
 Batch	♥	♥	♥	♥	♥
 Mold	♥	♥	♥	♥	

♥ Natural R10

## APPEARANCE

Terracotta

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V2 - Light

## SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


## BATTISCOPIA

72x600mm




## SCALINO

330x1200x40mm




## ANG. SCALINO

330x1200x40mm



## ELEMENTO ELLE

150x600x40mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.1\%$

### 4. FLEXURAL STRENGTH

$\geq 40 \text{ N/mm}^2$

### 6. DEEP ABRASION RESISTANCE

$\geq 150 \text{ mm}^3$

### 8. LINEAR THERMAL EXPANSION

$\leq 7 \text{ (MK)}^{-1}$

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Conforms

### SLIP RESISTANCE (DIN 51130-51097)

Natural R10

## MANUFACTURER CERTIFICATIONS:



EPD: Available  
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 005.



> 35%  
Pre-consumer