


A complex composite stone, the tiles in the Terrazzo range display a wide range of marble and quartz flecks and speckles. This engineered material is formed by binding together crushed stone using strong adhesives.





ABOVE

Project: Gunpowder


Floor: 7BAB016 7BAB022




Project: Cottam House

Floor: 7BAB011 Wall: 7BAB011






Dustcloud 7BAB032



## SIZES AND FINISHES



Noned R9

# NOTES

The following finishes are available on request:

Honed R10,

Honed R11

Honed 80,

Polished,

Matt Sandblasted,

Matt Raw,

Satin Brushed R9.

\* These terrazzo slabs are supplied unfinished and must be fabricated to provide a clean edge.

Other sizes are available, please ask for details.

APPEARANCE

Terrazzo

MATERIAL

Terrazzo

USAGE

Floors and Walls

SHADE VARIATION

V1 - Uniform

## **TECHNICAL SPECIFICATIONS (EN 13748-1)**

Bending Resistance	7.9 - 12.1 MPa
Fire Resistance	A1 <sub>f1</sub>
Water Absorption	4.2 - 5.2%

For more technical information, please ask for details.

# MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024, 011.



