

Topography

20 COLOURS | 8 FINISHES | 9 SIZES | 1 MOSAIC



S
O
L
U
S

Floor:
2TOP112
Wall:
2TOP105

Topography

Inspired by the soft and varying hues 'la terra' of the Mediterranean, Topography expresses the aesthetic of simplicity. Neutral shades and grainy finishes soothe the spirit.



Floor:
2TOP112
Wall:
2TOP107
Shower:
2TOP101M001

Topography



ABOVE
Floor:
2TOP107

RIGHT
Floor:
2TOP107



ABOVE
Wall:
2TOP108



TOP-White Aged
2TOP107



TOP-Cream Aged
2TOP110



TOP-Steel Aged
2TOP113



TOP-Tan Aged
2TOP116



TOP-Mocha Aged
2TOP119



TOP-White Earth
2TOP101



TOP-Cream Earth
2TOP102



TOP-Steel Earth
2TOP103



TOP-Tan Earth
2TOP104



TOP-Mocha Earth
2TOP105



TOP-White Grain
2TOP106



TOP-Cream Grain
2TOP109



TOP-Steel Grain
2TOP112



TOP-Tan Grain
2TOP115



TOP-Mocha Grain
2TOP118



TOP-White Stone
2TOP108



TOP-Cream Stone
2TOP111



TOP-Steel Stone
2TOP114




TOP-Tan Stone
2TOP117




TOP-Tan Stone
2TOP117




TOP-White Mosaic
2TOP101M001
290x290x3mm mesh
Matt finish




TOP-Cream Mosaic
2TOP102M002
290x290x3mm mesh
Matt finish



TOP-Steel Mosaic
2TOP103M003
290x290x3mm mesh
Matt finish




TOP-Tan Mosaic
2TOP104M004
290x290x3mm mesh
Matt finish



TOP-Mocha Mosaic
2TOP105M005
290x290x3mm mesh
Matt finish

Wall:
2TOP101M001

Topography



Topography

APPEARANCE

Limestone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


BATTISCOPIA

46x600mm




GRADINO

330x1200x30mm



ELEMENTO ELLE

200x400x60mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$\leq 0.08\%$

4. FLEXURAL STRENGTH

50-52 N/mm²

6. DEEP ABRASION RESISTANCE

140 mm³

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R9

Matt R9, R10, R11 (A+B+C)

Textured R9, R10

Anti Slip R10 (A+B),

Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 006.