

Trailblazer

4 COLOURS | 2 FINISHES | 3 SIZES



LOS
LUS

Floor:
3KSS106
3KSS101

Trailblazer

Trailblazer is a complex concrete effect porcelain range, rich with random particles and marks. This strongly architectural range create smart backdrops and stylish spaces.



Floor:
3KSS102





Creator
3KSS101



Discoverer
3KSS102














Trendsetter
3KSS104



Achiever
3KSS106



Floor:
3KSS104

	 300x600 8mm	 600x600 8mm	 600x1200 8mm
All colours	 	 	 
		 Honed R10 (A+B)	 Anti Slip R11 (A+B+C)

Trailblazer

APPEARANCE

Concrete

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light


SPECIAL PIECES

Available on request.

For more information contact our sales team.


BATTISCOPA

60x600mm



STEP TREAD

300x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

< 0.1 - 0.08%

4. FLEXURAL STRENGTH

45 N/mm²

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Honed R10 (A+B)

Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



ecovadis



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 004b.



> 40%

Pre-consumer