

Travertine 1

11 COLOURS | 4 FINISHES | 4 SIZES | 2 MOSAICS



S
O
L
U
S

Project: Solus
Clerkenwell Showroom

Floor:
3SCT0033

Travertine 1

A high-performance surface with excellent technical qualities and a favourite of specifiers globally.



Project: University
of West London

Floor:
3SCT0031

Travertine 1



Project: University of
Warwick - Mathematical
Sciences Building

Floor:
3SCT0033
3SCT0047

Travertine 1




Project: The Terrace,
Wimbledon

ABOVE

Floor:
3SCT0044
3SCT0049

RIGHT

Floor:
3SCT0044
3SCT0049



Travertine 1



Asus
3SCT0049



Sumac
3SCT0033



Staran
3SCT0032



Motion
3SCT0047



Abyss
3SCT0031



Liquorice
3SCT0030



Ture
3SCT0034



Goma
3SCT0036



Tamar
3SCT0035



Nigella
3SCT0044



















Gano
3SCT0042







Project: Edgbaston Priory
Tennis Club

Wall:
3SCT0033

SIZES AND FINISHES

			
150x150 9.4mm	300x300 9.4mm	300x600 9.4mm	600x600 9.4mm
All colours  	  	   	   

 Natural R10 (A+B)*  Matt R9 (Matt R10 on request)  Polished  Textured R11 (A+B)



Textured R11 (A+B)

NOTES


To avoid lippage we recommend the use of self-levelling spacers.

* Natural R10 (A+B) is not suitable for beach, swimming pool and /or changing rooms.




Floor:
3SCT0044M303
Wall:
3SCT0044M303


MOSAICS




Asus Mosaic A
3SCT0049M303
300x300x9.4mm
Polished




Sumac Mosaic A
3SCT0033M303
300x300x9.4mm
Polished




Staran Mosaic A
3SCT0032M303
300x300x9.4mm
Polished




Motion Mosaic A
3SCT0047M303
300x300x9.4mm
Polished




Abyss Mosaic A
3SCT0031M303
300x300x9.4mm
Polished




Liquorice Mosaic A
3SCT0030M303
300x300x9.4mm
Polished




Ture Mosaic A
3SCT0034M303
300x300x9.4mm
Polished




Goma Mosaic A
3SCT0036M303
300x300x9.4mm
Polished



Tamar Mosaic A
3SCT0035M303
300x300x9.4mm
Polished



Nigella Mosaic A
3SCT0044M303
300x300x9.4mm
Polished




Gano Mosaic A
3SCT0042M303
300x300x9.4mm
Polished




MOSAICS




Asus Mosaic D
3SCT0049M406
300x300mm (15x300 chips)
Textured



Sumac Mosaic D
3SCT0033M406
300x300mm (15x300 chips)
Textured



Staran Mosaic D
3SCT0032M406
300x300mm (15x300 chips)
Textured



Motion Mosaic D
3SCT0047M406
300x300mm (15x300 chips)
Textured



Abyss Mosaic D
3SCT0031M406
300x300mm (15x300 chips)
Textured



Liquorice Mosaic D
3SCT0030M406
300x300mm (15x300 chips)
Textured




Ture Mosaic D
3SCT0034M406
300x300mm (15x300 chips)
Textured



Goma Mosaic D
3SCT0036M406
300x300mm (15x300 chips)
Textured



Tamar Mosaic D
3SCT0035M406
300x300mm (15x300 chips)
Textured



Nigella Mosaic D
3SCT0044M406
300x300mm (15x300 chips)
Textured



Gano Mosaic D
3SCT0042M406
300x300mm (15x300 chips)
Textured

Counter:
3SCT0049M406
Wall:
3SCT0049M406

Travertine 1

APPEARANCE
Travertine

MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
More special pieces available.
For more information contact our sales team.


BULLNOSE
90x300mm
90x600mm



ANGOLARE
300x330mm
330x600mm



GRADONE
300x330mm
330x600mm




STEP TREAD
300x300mm
300x600mm



GRADONE/ ANGOLARE TORO
NON-SLIP EDGE
330x600mm



GRADONE/ ANGOLARE TORO
330x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
 $\leq 0.1\%$

4. FLEXURAL STRENGTH
45 N/mm²

6. DEEP ABRASION RESISTANCE
 ≤ 150 mm³

8. LINEAR THERMAL EXPANSION
 6×10^{-6} °C

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

SLIP RESISTANCE
(DIN 51130-51097)
Natural R10 (A+B)
Matt R9
Textured R11 (A+B)

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 024a.



Up to 45%
Pre-consumer