

Variety

8 COLOURS | 1 FINISH | 1 SIZE | 2 DECORS



S
O
LUS

Wall:
5HVB103
5HVB103D301
5HVB103D302

Variety

Variety is a metro style range of ceramic tiles with a wide range of contemporary colours, all available in a clever selection of 3D finishes.



Wall:
5HVB107
5HVB107D701
5HVB107D702




Wall:
5HVB102
5HVB102D201
5HVB102D202



Plain colour

75x300x8.5mm

Gloss



Decor A

75x300x13mm

Gloss




Decor B

75x300x17mm

Gloss



Transition
5HVB101




Transition Decor A
5HVB101D101



Transition Decor B
5HVB101D102



Array
5HVB102



Array Decor A
5HVB102D201



Array Decor B
5HVB102D202



Assortment
5HVB104




Assortment Decor A
5HVB104D401



Assortment Decor B
5HVB104D402



Conversion
5HVB108



Conversion Decor A
5HVB108D801




Conversion Decor B
5HVB108D802



Plain colour

75x300x8.5mm

Gloss



Decor A

75x300x13mm

Gloss



Decor B

75x300x17mm

Gloss



Melange
5HVB103



Melange Decor A
5HVB103D301



Melange Decor B
5HVB103D302



Fluctuate
5HVB106



Fluctuate Decor A
5HVB106D601



Fluctuate Decor B
5HVB106D602



Mishmash
5HVB105



Mishmash Decor A
5HVB105D501



Mishmash Decor B
5HVB105D502



Modify
5HVB107



Modify Decor A
5HVB107D701



Modify Decor B
5HVB107D702

APPEARANCE

Mono Colour

MATERIAL

Ceramic

USAGE

Walls only

SHADE VARIATION

V2 - Light

ISO 10545 RESULTS**2. DIMENSIONS AND SURFACE QUALITY**

Conforms

3. WATER ABSORPTION

< 10%

4. FLEXURAL STRENGTH

> 20 N/mm²

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

No rating

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

MANUFACTURER CERTIFICATIONS:

EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are available upon request.
All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.
© Solus Ceramics Limited 2024. 003.