


9 COLOURS | 2 FINISHES | 6 SIZES | 1 DECOR

# Velto

SOS  
LUS



Floor:  
2VET104  
Wall:  
2VET106  
2VET106D001

A sleek mono-colour range in nine distinctive shades and two finishes. With large-format tiles and matching decors, Velto brings bold simplicity to any interior. This range is certified Carbon Zero.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)



Floor:  
2VET108  
Desk:  
2VET108




ABOVE  
Wall:  
2VET106  
2VET106D001

RIGHT  
Floor:  
2VET102





VET-Cream  
2VET101



VET-Beige  
2VET102



VET-Mocha  
2VET103



VET-Ash  
2VET104



VET-Grey  
2VET105



VET-Black  
2VET106



Floor:  
2VET103



VET-Blue  
2VET107



VET-Green  
2VET108



VET-Marrone  
2VET109



Floor:  
2VET108

## SIZES AND FINISHES

	600x1200 6mm	600x1200 9mm	1200x1200 6mm	1200x1200 9mm	1200x2400 6mm	1200x2800 6mm
VET-Cream	●	● ◆	●	●	●	●
VET-Beige	●	● ◆	●	●	●	●
VET-Mocha	●	●	●	●	●	●
VET-Ash	●	● ◆	●	●	●	●
VET-Grey	●	● ◆	●	●	●	●
VET-Black	●	●	●	●	●	●
VET-Blue	●	●	●	●	●	●
VET-Green	●	●	●	●	●	●
VET-Marrone	●	●	●	●	●	●

● Matt R10 (A+B)    ◆ Matt R11


## DECORS



VET-Cream Decor  
2VET101D001  
1200x2800x6mm  
Matt




VET-Beige Decor  
2VET102D001  
1200x2800x6mm  
Matt



VET-Mocha Decor  
2VET103D001  
1200x2800x6mm  
Matt



VET-Ash Decor  
2VET104D001  
1200x2800x6mm  
Matt



VET-Grey Decor  
2VET105D001  
1200x2800x6mm  
Matt




VET-Black Decor  
2VET106D001  
1200x2800x6mm  
Matt



VET-Blue Decor  
2VET107D001  
1200x2800x6mm  
Matt



VET-Green Decor  
2VET108D001  
1200x2800x6mm  
Matt



VET-Marrone Decor  
2VET109D001  
1200x2800x6mm  
Matt

## APPEARANCE

Mono Colour

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION


V2 - Light

## SPECIAL PIECES

For more information contact our sales team.

## BATTISCOPIA

46x1200mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

≤ 0.08%

### 4. FLEXURAL STRENGTH

50-52 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

140 mm<sup>3</sup>

### 8. LINEAR THERMAL EXPANSION

No rating

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 4-5

### SLIP RESISTANCE (DIN 51130-51097)

Matt R10 (A+B)

Matt R11

## CERTIFICATIONS:



EPD: Available  
ISO 14001  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 001.

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large piles of sand and gravel in an industrial setting, with a vertical metal beam in the center.

S  
O  
L  
U  
S

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)