

5 COLOURS | 6 FINISHES | 12 SIZES | 3 MOSAICS | 1 DECOR

# Vireo

SOS  
LUS



Floor:  
3VIR103  
Counter:  
3VIR103

A durable stone-look collection available in five colours and six finishes. Complete with mosaics and décors, it works across both residential and commercial projects. This range is certified Carbon Zero.



S  
LUS



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.


For more information, [click here](#)

Floor:  
3VIR105  
Wall:  
3VIR104



ABOVE  
Floor:  
3VIR105

RIGHT  
Floor:  
3VIR103



ABOVE  
Floor:  
3VIR105



VIR-Cream  
3VIR101



VIR-Smoke  
3VIR102



VIR-Greige  
3VIR103



VIR-Grey  
3VIR104



VIR-Coal  
3VIR105

## SIZES AND FINISHES

	300x600 9mm	600x600 9mm	600x1200 6mm	600x1200 9mm	600x1200 20mm	800x800 9mm	800x1800 9mm	1200x1200 6mm	1200x1200 9mm	1200x1200 20mm	1200x2400 6mm	1200x2800 6mm
VIR-Cream	♥	♥	● \	♥ ♦	▲	♥	♥	● \	♦	△	● \	● \
VIR-Smoke	♥	♥	● \	♥ ♦	▲		♥	● \	♦		● \	● \
VIR-Greige	♥	♥	● \	♥ ♦	▲	♥	♥	● \	♦	△	● \	● \
VIR-Grey	♥	♥	●	♥	▲		♥	●			●	●
VIR-Coal	\	\	\	\	▲		\	\			\	\

● Matt    ♥ Matt R10 (A+B)    ♦ Matt R11    \ Satin R9    △ Anti Slip    ▲ Anti Slip R11 (A+B+C)

## MOSAICS



VIR-Cream Mosaic A  
3VIR101M001  
56x288x6/9mm  
Matt



VIR-Smoke Mosaic A  
3VIR102M001  
56x288x6/9mm  
Matt



VIR-Greige Mosaic A  
3VIR103M001  
56x288x6/9mm  
Matt




VIR-Cream Mosaic B  
3VIR101M002  
290x380x9mm  
Textured



VIR-Smoke Mosaic B  
3VIR102M002  
290x380x9mm  
Textured



VIR-Greige Mosaic B  
3VIR103M002  
290x380x9mm  
Textured



VIR-Grey Mosaic C  
3VIR104M003  
335x370x6mm  
Matt



VIR-Coal Mosaic C  
3VIR105M003  
335x370x6mm  
Satin R9

## DECORS



VIR-Cream Decor

3VIR101D001

600x1200x9mm

Textured R10



VIR-Smoke Decor

3VIR102D001

600x1200x9mm

Textured R10




VIR-Greige Decor

3VIR103D001

600x1200x9mm

Textured R10



Counter:  
3VIR102

**APPEARANCE**  
Stone


**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls


**SHADE VARIATION**  
V2 - Light  
V3 - Moderate

**SPECIAL PIECES**  
For more information contact our sales team.

**BATTISCOPIA**  
46x1200mm



**GRADINO**  
330x1200x30mm



**ISO 10545 RESULTS**

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
≤ 0.08%

**4. FLEXURAL STRENGTH**  
50-52 N/mm<sup>2</sup>

**6. DEEP ABRASION RESISTANCE**  
140 mm<sup>3</sup>

**8. LINEAR THERMAL EXPANSION**  
No rating

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Class 4-5

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Matt R10 (A+B)  
Matt R11  
Satin R9  
Anti Slip R11 (A+B+C)

**CERTIFICATIONS:**



EPD: Available  
ISO 14001  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 001a.

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the middle "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large piles of sand and gravel in an industrial setting, with a vertical metal beam in the center.

S  
O  
L  
U  
S

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)