

# Wabi Sabi

5 COLOURS | 3 FINISHES | 2 SIZES



S  
O  
L  
U  
S

Wall:  
2WAB103  
2WAB105  
2WAB101

# Wabi Sabi

Available in three finishes, matt, textured and textured fine, Wabi-Sabi exploits texture and colour to create spaces that are restful and meditative.



Wall:  
2WAB105

# Wabi Sabi




ABOVE  
Wall:  
2WAB101  
2WAB104


RIGHT  
2WAB101  
Textured  
Textured Fine  
Matt




ABOVE  
Wall:  
2WAB102  
Floor:  
2WAB101  
Bath Side:  
2WAB101



Wab-Cotton 2WAB101  
Matt finish



Wab-Ecru 2WAB102  
Matt finish



Wab-Mud 2WAB103  
Matt finish



Wab-Canyon 2WAB105  
Matt finish



Wab-Anthracite 2WAB104  
Matt finish




Wab-Cotton 2WAB101  
Textured Fine finish



Wab-Ecru 2WAB102  
Textured Fine finish



Wab-Mud 2WAB103  
Textured Fine finish



Wab-Canyon 2WAB105  
Textured Fine finish




Wab-Anthracite 2WAB104  
Textured Fine finish



Wab-Cotton 2WAB101  
Textured finish



Wab-Ecru 2WAB102  
Textured finish



Wab-Mud 2WAB103  
Textured finish



Wab-Canyon 2WAB105  
Textured finish



Wab-Anthracite 2WAB104  
Textured finish

## APPEARANCE

Mono Colour











## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SIZES AND FINISHES

			
	75x300 9mm	140x140 9mm	
All colours	  	 	
	 Matt	 Textured Fine	 Textured

## NOTES

To avoidlippage we recommend the use of self-levelling spacers

## ISO 10545 RESULTS

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
< 0.5%

**4. FLEXURAL STRENGTH**  
> 35 N/mm<sup>2</sup>

**6. DEEP ABRASION RESISTANCE**  
No rating

**8. LINEAR THERMAL EXPANSION**  
No rating

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
No rating

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Conforms

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Ask for details

## MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 002a.