

Woodstock

5 COLOURS | 2 FINISHES | 4 SIZES



S
O
L
U
S

Floor:
3RBE402

Woodstock

Unbelievably lifelike, the Woodstock range is almost indistinguishable from natural wood. Featuring five extremely realistic wood colours and four plank shaped sizes, the Woodstock range is a perfect alternative to real wood.



Floor:
3RBE401

Woodstock



ABOVE
Floor:
3RBE400

RIGHT
Floor:
3RBE404



ABOVE
Floor:
3RBE403



Catskill
3RBE400



Bethel
3RBE401



Yasgur
3RBE402



Stills
3RBE403







Kornfeld
3RBE404



Floor:
3RBE403

SIZES AND FINISHES

				
	133x800 10mm	200x800 10mm	260x1600 10mm	300x1200 10mm
All colours	♥ △	♥ △	♥	♥
			♥ Natural R10	△ Anti Slip R11 (A+B+C)

NOTES

To avoid lippage we recommend the use of self-levelling spacers

APPEARANCE

Wood

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BATTISCOPIA


100x800mm

100x1200mm




ELEMENTO L

100x400x50mm




GRADINO

300x1200mm



ANGOLARE

300x1200x35mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

< 0.5

4. FLEXURAL STRENGTH

> 35 N/mm²

6. DEEP ABRASION RESISTANCE

< 170 mm³

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

No rating

SLIP RESISTANCE (DIN 51130-51097)

Natural R10

Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 009.